

**Infusion of suicide-gene-engineered donor lymphocytes after family haploidentical haemopoietic stem-cell transplantation for leukaemia (the TK007 trial): a non-randomised phase I-II study**

Ciceri F, Bonini C, Stanghellini MT, Bondanza A, Traversari C, Salomoni M, Turchetto L, Colombi S, Bernardi M, Peccatori J, Pescarollo A, Servida P, Magnani Z, Perna SK, Valtolina V, Crippa F, Callegaro L, Spoldi E, Crocchiolo R, Fleischhauer K, Ponzoni M, Vago L, Rossini S, Santoro A, Todisco E, Apperley J, Olavarria E, Slavin S, Weissinger EM, Ganser A, Stadler M, Yannaki E, Fassas A, Anagnostopoulos A, Bregni M, Stampino CG, Bruzzi P, Bordignon C.  
*Lancet oncology*  
2009; 10(5):489-500

**ARTICLE IDENTIFIERS**

DOI: 10.1016/S1470-2045(09)70074-9

PMID: 19345145

PMCID: not available

**JOURNAL IDENTIFIERS**

LCCN: 00215747

ISSN: 1470-2045

eISSN: 1474-5488

OCLC ID: 45075773

CONS ID: not available

US National Library of Medicine ID: 100957246

This article was identified from a query of the SafetyLit database.