

SafetyLit

Injury Prevention Literature Update

SafetyLit is a free service of the
Center for Injury Prevention Policy and Practice
at San Diego State University in collaboration with the
World Health Organization.

23 January 2005
Volume 8, Number 4

Abstracts of these reports will be available at 0500 UTC Monday by visiting: <http://www.safetylit.org>

Alcohol and Other Drugs:

Drinking, alcohol problems and the five-year recurrence and incidence of male to female and female to male partner violence.

- Caetano R, McGrath C, Ramisetty-Mikler S, Field CA. Alcohol Clin Exp Res 2005; 29(1): 98-106.

Impact of paracetamol pack size restrictions on poisoning from paracetamol in England and Wales: an observational study.

- Morgan O, Griffiths C, Majeed A. J Public Health 2005; (ePub - yet to be printed).

Predicting drunk driving: contribution of alcohol use and related problems, traffic behaviour, personality and platelet monoamine oxidase (MAO) activity.

- Eensoo D, Paaver M, Harro M, Harro J. Alcohol Alcohol 2005; (ePub - yet to be printed).

Risk factors for fatal accidents and suicides in peacekeepers: is there an overlap?

- Thoresen S, Mehlum L. Mil Med 2004; 169(12): 988-93.

Commentary and Editorials:

No items this week.

Community-Based Prevention:

Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial.

- Hendriks MR, van Haastregt JC, Diederiks JP, Evers SM, Crebolder HF, van Eijk JT. BMC Public Health 2005; 5(1): 6.

Is there violence in the neighbourhood? Ask the children.

- Usta J, Farver JA. J Public Health 2005; ePub.

Tobacco Industry Sponsorship of Community-Based Public Health Initiatives: Why AIDS and Domestic Violence Organizations Accept or Refuse Funds.

- Stone M, Siegel MB. J Public Health Manag Pract 2004; 10(6): 511-517.

Disasters and Environmental Issues:

Pediatric Terrorism Preparedness National Guidelines and Recommendations: Findings of an Evidenced-based Consensus Process.

- Markenson D, Redlener I. Biosecur Bioterror 2004; 2(4): 301-19.

Suicides in Los Angeles County in relation to the Northridge earthquake.

- Shoaf K, Sauter C, Bourque LB, Giangreco C, Weiss B. Prehospital Disaster Med 2004; 19(4): 307-10.

The experience at St. Vincent's hospital, Manhattan, on September 11, 2001: preparedness, response, and lessons learned.

- Kirschenbaum L, Keene A, O'neill P, Westfal R, Astiz ME. Crit Care Med 2005; 33(1): S48-S52.

The IFR bullet: Can it kill our accident rate?

- Springer B. Air Med J 2005; 24(1): 29-31.

Distraction and Attentional Issues:

Mobile phones and driving.

- Johal S, Napier F, Britt-Compton J, Marshall T. J Public Health 2005; (ePub - yet to be printed).

Ergonomics and Human Factors:

A speedy solution for balance and gait analysis: angular velocity measured at the centre of body mass.

- Allum JH, Carpenter MG. *Curr Opin Neurol* 2005; 18(1): 15-21.

Home and Consumer Product Issues:

Impact of paracetamol pack size restrictions on poisoning from paracetamol in England and Wales: an observational study.

- Morgan O, Griffiths C, Majeed A. *J Public Health* 2005; (ePub - yet to be printed).

In an observational study elderly patients had an increased risk of falling due to home hazards.

- van Bommel T, Vandenbroucke JP, Westendorp RG, Gussekloo J. *J Clin Epidemiol* 2005; 58(1): 63-67.

Mobile phones and driving.

- Johal S, Napier F, Britt-Compton J, Marshall T. *J Public Health* 2005; (ePub - yet to be printed).

Occupational Issues:

[Risk factors associated with work-related accidents in the construction industry in the valley of Mexico.]

- Sarmiento-Salinas R, López-Rojas P, Marín-Cotoñieto IA, Godínez-Rocha A, Haro-García L, Salinas-Tovar S. *Gac Med Mex* 2004; 140(6): 593-7.

High-performance work systems and occupational safety.

- Zacharatos A, Barling J, Iverson RD. *J Appl Psychol* 2005; 90(1): 77-93.

Shift workers' mortality scrutinized.

- Knutsson A, Hammar N, Karlsson B. *Chronobiol Int* 2004; 21(6): 1049-53.

Toward a "Risk Index" to assess work schedules.

- Folkard S, Lombardi DA. *Chronobiol Int* 2004; 21(6): 1063-72.

Pedestrian and Bicycle Issues:

No reports this week

Poisoning:

Impact of paracetamol pack size restrictions on poisoning from paracetamol in England and Wales: an observational study.

- Morgan O, Griffiths C, Majeed A. J Public Health 2005; (ePub - yet to be printed).

Stonefish poisoning.

- Lyon RM. Wilderness Environ Med 2004; 15(4): 284-8.

Protective Headgear:

No reports this week

Recreation and Sports:

A prospective study of injuries sustained during competitive Muay Thai kickboxing.

- Gartland S, Malik MH, Lovell M. Clin J Sport Med 2005; 15(1): 34-6.

Is obesity associated with injuries among young people?

- Bazelmans C, Coppieters Y, Godin I, Parent F, Berghmans L, Dramaix M, Levêque A. Eur J Public Health 2004; 19(11): 1037-42.

Stonefish poisoning.

- Lyon RM. Wilderness Environ Med 2004; 15(4): 284-8.

Research Methods:

Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial.

- Hendriks MR, van Haastregt JC, Diederiks JP, Evers SM, Crebolder HF, van Eijk JT. BMC Public Health 2005; 5(1): 6.

Risk Factor Prevalence, Injury Occurrence, and Costs:

[Burn injuries--contemporary and previous findings.]

- Stefan J. Soud Lek 2004; 49(4): 57-62.

A seven-year epidemiology study of 12,381 admitted burn patients in Taiwan-using the Internet registration system of the Childhood Burn Foundation.

- Tung KY, Chen ML, Wang HJ, Chen GS, Peck M, Yang J, Liu CC. Burns 2005; 31(Suppl 1): S12-7.

Burn epidemiology in the Brisbane and Queensland area.

- Pegg SP. Burns 2005; 31(Suppl 1): S27-31.

Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial.

Hendriks MR, van Haastregt JC, Diederiks JP, Evers SM, Crebolder HF, van Eijk JT. BMC Public Health 2005; 5(1): 6.

Epidemiological and outcome characteristics of major burns in Tokyo.

- Kobayashi K, Ikeda H, Higuchi R, Nozaki M, Yamamoto Y, Urabe M, Shimazaki S, Sugamata A, Aikawa N, Ninomiya N, Sakurai H, Hamabe Y, Yahagi N, Nakazawa H. Burns 2005; 31(Suppl 1): S3-S11.

Epidemiology of burn injuries in Singapore from 1997 to 2003.

- Song C, Chua A. Burns 2005; 31(Suppl 1): S18-26.

Glaucoma following penetrating ocular trauma: A cohort study of the United States Eye Injury Registry.

- Girkin CA, McGwin G, Morris R, Kuhn F. Am J Ophthalmol 2005; 139(1): 100-5.

Health disparities experienced by black or African Americans--United States.

- Centers for Disease Control and Prevention. MMWR Morb Mortal Wkly Rep 2005; 54(1): 1-3.

In an observational study elderly patients had an increased risk of falling due to home hazards.

- van Bommel T, Vandenbroucke JP, Westendorp RG, Gussekloo J. J Clin Epidemiol 2005; 58(1): 63-67.

Is obesity associated with injuries among young people?

- Bazelmans C, Coppieters Y, Godin I, Parent F, Berghmans L, Dramaix M, Levêque A. Eur J Public Health 2004; 19(11): 1037-42.

The 2003 annual report of the (South Dakota, USA) Regional Infant and Child Mortality Review Committee.

- Randall B, Wilson A. S D J Med 2004; 57(12): 539-43.

Risk Perception and Communication:

Predicting drunk driving: contribution of alcohol use and related problems, traffic behaviour, personality and platelet monoamine oxidase (MAO) activity.

- Eensoo D, Paaver M, Harro M, Harro J. Alcohol Alcohol 2005; (ePub - yet to be printed).

Rural and Agricultural Issues:

No reports this week.

School Issues:

No Reports this week.

Sensing and Response Issues:

A speedy solution for balance and gait analysis: angular velocity measured at the centre of body mass.

- Allum JH, Carpenter MG. Curr Opin Neurol 2005; 18(1): 15-21.

Social Disparities:

Drinking, alcohol problems and the five-year recurrence and incidence of male to female and female to male partner violence.

- Caetano R, McGrath C, Ramisetty-Mikler S, Field CA. Alcohol Clin Exp Res 2005; 29(1): 98-106.

Gender differences in risk factors for attempted suicide among young adults: findings from the Third National Health and Nutrition Examination Survey.

- Zhang J, McKeown RE, Hussey JR, Thompson SJ, Woods JR. Ann Epidemiol 2005; 15(2): 167-174.

Health disparities experienced by black or African Americans--United States.

- Centers for Disease Control and Prevention. MMWR Morb Mortal Wkly Rep 2005; 54(1): 1-3.

Suicide and Self Harm:

Derivation of a proxy measure of suicidal ideation from the Suicide Opinion Questionnaire.

- Lester D. Percept Mot Skills 2004; 99(3 Pt 1): 1046.

Family genetic studies, suicide, and suicidal behavior.

- Brent DA, Mann JJ. Am J Med Genet C Semin Med Genet 2005.

Gender differences in risk factors for attempted suicide among young adults: findings from the Third National Health and Nutrition Examination Survey.

- Zhang J, McKeown RE, Hussey JR, Thompson SJ, Woods JR. Ann Epidemiol 2005; 15(2): 167-174.

Getting inside depression and suicide ideation.

- Weeks SK, Anderson MA, Harmon LS, Michaels TK. Nurs Manage 2004; 35(10): 42-6.

Personality traits as intermediary phenotypes in suicidal behavior: Genetic issues.

- Baud P. Am J Med Genet C Semin Med Genet 2005.

Risk factors for fatal accidents and suicides in peacekeepers: is there an overlap?

- Thoresen S, Mehlum L. Mil Med 2004; 169(12): 988-93.

Suicidal behavior prevention: WHO perspectives on research.

- Bertolote JM, Fleischmann A. Am J Med Genet C Semin Med Genet 2005; 133C(1): 8-12.

Suicidal disorders: A nosological entity per se?

- Leboyer M, Slama F, Siever L, Bellivier F. Am J Med Genet C Semin Med Genet 2005; 133C(1): 3-7.

Suicide rate and blood groups: an ecological study of 39 nations.

- Voracek M. Percept Mot Skills 2004; 99(3 Pt 1): 896-8.

Suicides in Los Angeles County in relation to the Northridge earthquake.

- Shoaf K, Sauter C, Bourque LB, Giangreco C, Weiss B. Prehospital Disaster Med 2004; 19(4): 307-10.

War, mental disorder and suicide.

- Loncar C, Definis-Gojanovic M, Dodig G, Jakovljevic M, Franic T, Marcinko D, Mihanovic M. Coll Antropol 2004; 28(1): 377-84.

Transportation:

Effectiveness of speed cameras in preventing road traffic collisions and related casualties: systematic review.

- Pilkington P, Kinra S. BMJ 2005; (ePub - yet to be printed).

Mobile phones and driving.

- Johal S, Napier F, Britt-Compton J, Marshall T. J Public Health 2005; ePub.

Predicting drunk driving: contribution of alcohol use and related problems, traffic behaviour, personality and platelet monoamine oxidase (MAO) activity.

- Eensoo D, Paaver M, Harro M, Harro J. Alcohol Alcohol 2005; (ePub - yet to be printed).

Safety of helicopter aeromedical transport in Australia: a retrospective study.

- Holland J, Cooksley DG. Med J Aust 2005; 182(1): 17-9.

The IFR bullet: Can it kill our accident rate?

- Springer B. Air Med J 2005; 24(1): 29-31.

Violence and Weapons:

[Detection of domestic violence against women: Survey in a primary health care clinic.]

- Pontecorvo C, Mejía R, Aleman M, Vidal A, Majdalani MP, Fayanás R, Fernández A, Pérez Stable EJ. Medicina 2004; 64(6): 492-6.

[Quality of life and depression in women abused by their partners.]

- Adeodato VG, Carvalho Rdos R, Siqueira VR, Souza FG. Rev Saude Publica 2005; 39(1): 108-13.

[Trends of homicide death in Brazil in the 90s: the role of firearms.]

- Peres MF, Santos PC. Rev Saude Publica 2005; 39(1): 58-66.

Domestic violence: improved screening techniques could reverse this chronic health problem.

- Stinson CK, Robinson R. Tex Nurs 2004; 78(8): 8-9, 11.

Drinking, alcohol problems and the five-year recurrence and incidence of male to female and female to male partner violence.

- Caetano R, McGrath C, Ramisetty-Mikler S, Field CA. Alcohol Clin Exp Res 2005; 29(1): 98-106.

Is there violence in the neighbourhood? Ask the children.

- Usta J, Farver JA. J Public Health 2005; (ePub - yet to be printed).

Psychological intimate partner violence: the major predictor of posttraumatic stress disorder in abused women.

- Pico-Alfonso MA. Neurosci Biobehav Rev 2005; 29(1): 181-93.

Shaken baby syndrome: assessment, intervention, and prevention.

- Gutierrez FL, Clements PT, Averill J. J Psychosoc Nurs Ment Health Serv 2004; 42(12): 22-9.

The differential association of intimate partner physical, sexual, psychological, and stalking violence and posttraumatic stress symptoms in a nationally representative sample of women.

- Basile KC, Arias I, Desai S, Thompson MP. J Traum Stress 2004; 17(5): 413-21.

Tobacco Industry Sponsorship of Community-Based Public Health Initiatives: Why AIDS and Domestic Violence Organizations Accept or Refuse Funds.

- Stone M, Siegel MB. J Public Health Manag Pract 2004; 10(6): 511-517.

War, mental disorder and suicide.

- Loncar C, Definis-Gojanovic M, Dodig G, Jakovljevic M, Franic T, Marcinko D, Mihanovic M. Coll Antropol 2004; 28(1): 377-84.

Zero tolerance for domestic violence.

- Feder G, Griffiths C, MacMillan H. Lancet 2005; 365(9454): 120.

View abstracts of these reports at: <http://www.safetylit.org>

David Lawrence -- David.Lawrence@SDSU.edu
Director, Center for Injury Prevention Policy and Practice
Graduate School of Public Health
San Diego State University
6505 Alvarado Road, Suite 208
San Diego, CA 92120
Voice: 619-594-3691 Fax: 619-594-1995
<http://www.InjuryPreventionWeb.org>