

**SafetyLit is a free service of the
Center for Injury Prevention Policy and Practice
at San Diego State University in collaboration with the
World Health Organization.**

**12 September 2005
Volume 8, Number 37**

ISSN 1556-8849

Alcohol and Other Drugs:

Alcohol advertising and youth: A measured approach.

- Jernigan DH, Ostroff J, Ross C. J Public Health Policy 2005; 26(3): 312-325.

Alcohol dependence, temper and personality.

- Lejoyeux M. Med Sci Dec 2004; 20(12): 1140-4.

Alcohol marketing and young people's drinking: A review of the research.

- Hastings G, Anderson S, Cooke E, Gordon R. J Public Health Policy 2005; 26(3): 296-311.

**Characteristics of Gambling Helpline Callers with Self-Reported Gambling
and Alcohol Use Problems.**

- Potenza MN, Steinberg MA, Wu R. J Gambli Stud 2005; 21(3): 233-254.

**Drug prevalence in drowning deaths in Cuyahoga county, Ohio: a ten-year
retrospective study.**

- Gorniak JM, Jenkins AJ, Felo JA, Balraj E. Am J Forensic Med Pathol 2005; 26(3): 240-3.

**Flavored alcoholic beverages: An international marketing campaign that
targets youth.**

- Mosher JF, Johnsson D. J Public Health Policy 2005; 26(3): 326-342.

Half a million Americans use methamphetamine every week.

- Roehr B. BMJ 2005; 331(7515): 476.

Is television a health and safety hazard? A cross-sectional analysis of at-risk behavior on primetime television.

- Will KE, Porter BE, Geller ES, DePasquale JP. J Appl Soc Psychol 2005; 35(1): 198-222.

Loss of self-control in intertemporal choice may be attributable to logarithmic time-perception.

- Takahashi T. Med Hypotheses 2005; 65(4): 691-3.

Mortality from suicide and drug-related poisoning by day of the week in England and Wales, 1993-2002.

- Johnson H, Brock A, Griffiths C, Rooney C. Health Stat Q 2005; (27): 13-6.

Neurobehavioral performance of residents after heavy night call vs after alcohol ingestion.

- Arnedt JT, Owens J, Crouch M, Stahl J, Carskadon MA. JAMA 2005; 294(9): 1025-33.

Preliminary findings of noncompliance with psychotropic medication and prevalence of methamphetamine intoxication associated with suicide completion.

- Callor WB, Petersen E, Gray D, Grey T, Lamoreaux T, Bennett PJ. Crisis 2005; 26(2): 78-84.

Regulation of alcohol marketing: A global view.

- Casswell S, Maxwell A. J Public Health Policy 2005; 26(3): 343-358.

Relation of postmortem blood alcohol and drug concentrations in fatal poisonings involving amitriptyline, propoxyphene and promazine.

- Koski A, Vuori E, Ojanperä I. Hum Exp Toxicol 2005; 24(8): 389-96.

Shared predictors of youthful gambling, substance use, and delinquency.

- Barnes GM, Welte JW, Hoffman JH, Dintcheff BA. Psychol Addict Behav Jun 2005; 19(2): 165-74.

Spirituality as a 1-year prospective predictor of violence perpetration and drug use among youth at continuation high schools.

- Sussman S, Skara S, de Calice P, Hoffman B, Dent CW. J Appl Soc Psychol 2005; 35(1): 80-99.

Trade treaties and alcohol advertising policy.

- Gould E. J Public Health Policy 2005; 26(3): 359-376.

Wired for wellness: e-Interventions for addressing college drinking.

- Walters ST, Miller E, Chiauuzzi E. J Subst Abuse Treat 2005; 29(2): 139-45.

Commentary and Editorials:

"Catastrophic" violence continues unchecked in Somalia.

- Moszynski P. BMJ 2005; 331(7515): 474.

Antidepressant adherence and suicide risk in depressed youth.

- Weiss JJ, Gorman JM. Am J Psychiatry 2005; 162(9): 1756-7.

Antidepressants and suicide: a commentary on a significant contribution to this debate.

- Goldney RD. Crisis 2005; 26(2): 97-8.

Half a million Americans use methamphetamine every week.

- Roehr B. BMJ 2005; 331(7515): 476.

Work hours and reducing fatigue-related risk: good research vs good policy.

- Dawson D, Zee P. JAMA 2005; 294(9): 1104-6.

Community-Based Prevention:

A Resident's Experience in Cross Cultural/Community Psychiatry.

- Krishnan BS, Cutler DL. Community Ment Health J 2005; 41(5): 599-611.

Understanding unintentional injury risk in young children II. The contribution of caregiver supervision, child attributes, and parent attributes.

- Morrongiello BA, Corbett M, McCourt M, Johnston N. J Pediatr Psychol 2005; ePub: ePub.

Disasters and Environmental Issues:

Implementation of new legislative measures on industrial risks prevention and control in urban areas.

- Cahen B. J Hazard Mater 2005.

Kamedo report no. 75: fire catastrophe in Gothenburg 29-30 October 1998.

- Riddez L, Dellgar U. Prehospital Disaster Med 2005; 20(4): 258-61.

One-year follow-up study of posttraumatic stress disorder among earthquake survivors in Turkey.

- Altindag A, Ozen S, Sir A. Compr Psychiatry 2005; 46(5): 328-33.

Psychological and behavioural reactions to the bombings in London on 7 July 2005: cross sectional survey of a representative sample of Londoners.

- Rubin GJ, Brewin CR, Greenberg N, Simpson J, Wessely S. BMJ 2005; ePub: ePub.

Psychosocial implications of disaster or terrorism on children: a guide for the pediatrician.

- Hagan JF. Pediatrics 2005; 116(3): 787-95.

Social and personal factors as predictors of earthquake preparation: The role of support provision, network discussion, negative affect, age, and education.

- Heller K, Alexander DB, Gatz M, Rose T. J Appl Soc Psychol 2005; 35(2): 399-422.

The London Bombings: how EDs and nurses responded to the terrorist attacks of July 7.

- Parish C. Am J Nurs 2005; 105(9): 102-3.

Vicarious grief and response to global disasters.

- Chochinov HM. Lancet 2005; 366(9487): 697-8.

Distraction and Attentional Issues:

Automobile driving among patients with dementia.

- Paccalin M, Bouche G, Barc-Pain S, Merlet-Chicoine I, Nedelec C, Gil R. Presse Med 2005; 34(13): 919-22.

Morningness-eveningness for children scale: psychometric properties and month of birth effect.

- Caci H, Robert P, Dossios C, Boyer P. Encephale 2005; 31(1 Pt 1): 56-64.

Neurobehavioral performance of residents after heavy night call vs after alcohol ingestion.

- Arnedt JT, Owens J, Crouch M, Stahl J, Carskadon MA. JAMA 2005; 294(9): 1025-33.

Work hours and reducing fatigue-related risk: good research vs good policy.

- Dawson D, Zee P. JAMA 2005; 294(9): 1104-6.

Ergonomics and Human Factors:

Fall or shaken: traumatic brain injury in children caused by falls or abuse at home - a review on biomechanics and diagnosis.

- Oehmichen M, Meissner C, Saternus KS. Neuropediatrics 2005; 36(4): 240-5.

The effects of blurring vision on medio-lateral balance during stepping up or down to a new level in the elderly.

- Buckley JG, Heasley K, Scally A, Elliott DB. Gait Posture 2005; 22(2): 146-53.

Home and Consumer Product Issues:

Fall or shaken: traumatic brain injury in children caused by falls or abuse at home - a review on biomechanics and diagnosis.

- Oehmichen M, Meissner C, Saternus KS. Neuropediatrics 2005; 36(4): 240-5.

Prevalence of household firearms and firearm-storage practices in the 50 states and the District of Columbia: findings from the Behavioral Risk Factor Surveillance System, 2002.

- Okoro CA, Nelson DE, Mercy JA, Balluz LS, Crosby AE, Mokdad AH. Pediatrics 2005; 116(3): e370-6.

Validation of parent self reported home safety practices.

- Robertson AS, Rivara FP, Ebel BE, Lymp JF, Christakis DA. Inj Prev 2005; 11(4): 209-12.

Violence and sex in television programs do not sell products in advertisements.

- Bushman BJ. Psychol Sci 2005; 16(9): 702-8.

Occupational Issues:

A Resident's Experience in Cross Cultural/Community Psychiatry.

- Krishnan BS, Cutler DL. Community Ment Health J 2005; 41(5): 599-611.

Examination of live victims of violent crimes at the institutes of legal medicine of Hanover, Cologne and Leipzig.

- Gahr B, Grass H, Breitmeier D, Kleemann WJ. Arch Kriminol 2005; 216(1-2): 7-14.

Facilitating the emotional education of medical students: using literature and film in training about intimate partner violence.

- Lenahan P, Shapiro J. Fam Med 2005; 37(8): 543-5.

Interface management: Effective communication to improve process safety.

- Kelly B, Berger S. J Hazard Mater 2005; ePub: ePub.

Neurobehavioral performance of residents after heavy night call vs after alcohol ingestion.

- Arnedt JT, Owens J, Crouch M, Stahl J, Carskadon MA. JAMA 2005; 294(9): 1025-33.

Psychosocial implications of disaster or terrorism on children: a guide for the pediatrician.

- Hagan JF. Pediatrics 2005; 116(3): 787-95.

Risk factors for work-related assaults on nurses.

- Gerberich SG, Church TR, McGovern PM, Hansen H, Nachreiner NM, Geisser MS, Ryan AD, Mongin SJ, Watt GD, Jurek A. Epidemiology 2005; 16(5): 704-9.

Suicide Among Regular-Duty Military Personnel: A Retrospective Case-Control Study of Occupation-Specific Risk Factors for Workplace Suicide.

- Mahon MJ, Tobin JP, Cusack DA, Kelleher C, Malone KM. Am J Psychiatry 2005; 162(9): 1688-1696.

The emergency department approach to violently injured patient care: a regional survey.

- Wilkinson DL, Kurtz EM, Lane P, Fein JA. Inj Prev 2005; 11(4): 206-8.

The London Bombings: how EDs and nurses responded to the terrorist attacks of July 7.

- Parish C. Am J Nurs 2005; 105(9): 102-3.

Work hours and reducing fatigue-related risk: good research vs good policy.

- Dawson D, Zee P. JAMA 2005; 294(9): 1104-6.

Work-related Hand Injuries in Ontario: An Historical Perspective.

- Schofield MM. Clin Plast Surg 2005; 32(4): 485-93.

Work-related violence policy: a process evaluation.

- Findorff MJ, McGovern PM, Sinclair S. AAOHN J 2005; 53(8): 360-9.

Pedestrian and Bicycle Issues:

United States pedestrian fatality rates by vehicle type.

- Paulozzi LJ. Inj Prev 2005; 11(4): 232-6.

Poisoning:

2004 Annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System.

- Watson WA, Litovitz TL, Rodgers GC, Klein-Schwartz W, Reid N, Youniss J, Flanagan A, Wruk KM. Am J Emerg Med 2005; 23(5): 589-666.

Annual update: Mortality statistics 2003: injury and poisoning.

- No Authors Listed. Health Stat Q 2005; (27): 68-73.

Biochemical and clinical profile after organophosphorus poisoning--a placebo-controlled trial using pralidoxime.

- Cherian MA, Roshini C, Visalakshi J, Jeyaseelan L, Cherian AM. J Assoc Physicians India 2005; 53: 427-31.

Descriptive epidemiology of infant ingestion calls to a regional poison control center.

- Coco TJ, King WD, Slattery AP. South Med J 2005; 98(8): 779-83.

Experiences of anticholinesterase pesticide poisonings in an Australian tertiary hospital.

- Roberts DM, Fraser JE, Buckley NA, Venkatesh B. Anaesth Intensive Care 2005; 33(4): 469-76.

Folic acid calls to poison centers in Texas, 1998-2003.

- Forrester MB. Hum Exp Toxicol 2005; 24(8): 423-7.

Geographical variations in fatal poisoning due to antidepressant drugs in England and Wales 1993-2003.

- Morgan O, Griffiths C, Baker A, Majeed A. Health Stat Q 2005; (27): 6-12.

Human acute poisoning data collection by Japan poison information center.

- Kuroki Y. Chudoku Kenkyu 2005; 18(3): 277-83.

Intentional self-poisoning with the chlorophenoxy herbicide 4-chloro-2-methylphenoxyacetic acid (MCPA).

- Roberts DM, Seneviratne R, Mohammed F, Patel R, Senarathna L, Hittarage A, Buckley NA, Dawson AH, Eddleston M. Ann Emerg Med 2005; 46(3): 275-84.

Relation of postmortem blood alcohol and drug concentrations in fatal poisonings involving amitriptyline, propoxyphene and promazine.

- Koski A, Vuori E, Ojanperä I. Hum Exp Toxicol 2005; 24(8): 389-96.

Report on European Association of Poisons Centres and Clinical Toxicologists (EAPCCT) XXV International Congress.

- EAPCCT. Chudoku Kenkyu 2005; 18(3): 275-6.

Protective Headgear:

No reports this week.

Recreation and Sports:

Should football players wear custom fitted mouthguards? Results from a group randomised controlled trial.

- Finch C, Braham R, McIntosh A, McCrory P, Wolfe R. Inj Prev 2005; 11(4): 242-6.

Research Methods:

2004 Annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System.

- Watson WA, Litovitz TL, Rodgers GC, Klein-Schwartz W, Reid N, Youniss J, Flanagan A, Wruk KM. Am J Emerg Med 2005; 23(5): 589-666.

Cultural and ethical issues concerning research on American Indian youth.

- Stiffman A, Brown E, Striley CW, Ostmann E, Chowa G. Ethics Behav 2005; 15(1): 1-14.

Development of a common outcome data set for fall injury prevention trials: the prevention of falls network Europe consensus.

- Lamb SE, Jørstad-Stein EC, Hauer K, Becker C, Prevention of Falls Network Europe and Outcomes Consensus Group. J Am Geriatr Soc 2005; 53(9): 1618-22.

Forensic assessment of survived strangulation.

- Plattner T, Bolliger S, Zollinger U. Forensic Sci Int 2005; 153(2-3): 202-7.

Gaps in injury statistics: multiple injury profiles reveal them and provide a comprehensive account.

- Aharonson-Daniel L, Givon A, Peleg K. Inj Prev 2005; 11(4): 197-200.

Performance of the pediatric Glasgow Coma Scale in children with blunt head trauma.

- Holmes JF, Palchak MJ, MacFarlane T, Kuppermann N. Acad Emerg Med 2005; 12(9): 814-9.

Risk Factor Prevalence, Injury Occurrence, and Costs:

Annual update: Mortality statistics 2003: injury and poisoning.

- No Authors Listed. Health Stat Q 2005; (27): 68-73.

Association between the "seat belt sign" and intra-abdominal injury in children with blunt torso trauma.

- Sokolove PE, Kuppermann N, Holmes JF. Acad Emerg Med 2005; 12(9): 808-13.

Development of a common outcome data set for fall injury prevention trials: the prevention of falls network Europe consensus.

- Lamb SE, Jørstad-Stein EC, Hauer K, Becker C, Prevention of Falls Network Europe and Outcomes Consensus Group. J Am Geriatr Soc 2005; 53(9): 1618-22.

Drug prevalence in drowning deaths in Cuyahoga county, Ohio: a ten-year retrospective study.

- Gorniak JM, Jenkins AJ, Felo JA, Balraj E. Am J Forensic Med Pathol 2005; 26(3): 240-3.

Gaps in injury statistics: multiple injury profiles reveal them and provide a comprehensive account.

- Aharonson-Daniel L, Givon A, Peleg K. Inj Prev 2005; 11(4): 197-200.

Gunshot wounds to the head: gang- and non-gang-related injuries and outcomes.

- Aryan HE, Jandial R, Bennett RL, Masri LS, Lavine SD, Levy ML. Brain Inj 2005; 19(7): 505-10.

Performance of the pediatric Glasgow Coma Scale in children with blunt head trauma.

- Holmes JF, Palchak MJ, MacFarlane T, Kuppermann N. Acad Emerg Med 2005; 12(9): 814-9.

Prevalence of household firearms and firearm-storage practices in the 50 states and the District of Columbia: findings from the Behavioral Risk Factor Surveillance System, 2002.

- Okoro CA, Nelson DE, Mercy JA, Balluz LS, Crosby AE, Mokdad AH. Pediatrics 2005; 116(3): e370-6.

Recurrent early childhood injuries among disadvantaged children in primary care settings.

- Braun PA, Beaty BL, DiGuseppi C, Steiner JF. Inj Prev 2005; 11(4): 251-5.

The relationship between risk factors for falling and the quality of life in older adults.

- Ozcan A, Donat H, Gelecek N, Ozdirenc M, Karadibak D. BMC Public Health 2005; 5(1): 90.

Understanding unintentional injury risk in young children II. The contribution of caregiver supervision, child attributes, and parent attributes.

- Morrongiello BA, Corbett M, McCourt M, Johnston N. J Pediatr Psychol 2005; ePub: ePub.

Risk Perception and Communication:

Commuters remain stoical in face of terrorist attacks.

- Wild J. Nature 2005; 437(7055): 13.

Impulsivity but not venturesomeness is related to morningness.

- Caci H, Mattei V, Baylé FJ, Nadalet L, Dossios C, Robert P, Boyer P. Psychiatry Res 2005; 134(3): 259-65.

Interface management: Effective communication to improve process safety.

- Kelly B, Berger S. J Hazard Mater 2005; ePub: ePub.

Psychological and behavioural reactions to the bombings in London on 7 July 2005: cross sectional survey of a representative sample of Londoners.

- Rubin GJ, Brewin CR, Greenberg N, Simpson J, Wessely S. BMJ 2005; ePub: ePub.

Psychosocial implications of disaster or terrorism on children: a guide for the pediatrician.

- Hagan JF. Pediatrics 2005; 116(3): 787-95.

Unintentional injury depictions in popular children's television programs.

- Glik D, Kinsler J, Todd WA, Clarke L, Fazio K, Miyashiro R, Perez M, Vielmetter E, Flores RC. *Inj Prev* 2005; 11(4): 237-41.

Warding off the attacker: Self-defense in theory and in practice.

- Williams MJ, Hebl MR. *J Appl Soc Psychol* 2005; 35(2): 366-382.

Rural and Agricultural Issues:

Hearing loss as a risk factor for agricultural injuries.

- Choi SW, Peek-Asa C, Sprince NL, Rautiainen RH, Donham KJ, Flamme GA, Whitten PS, Zwerling C. *Am J Ind Med* 2005; ePub: ePub.

Rural versus urban victims of violence: The interplay of race and region.

- Grossman SF, Hinkley S, Kawalski A, Margrave C. *J Fam Violence* 2005; 20(2): 71-81.

Urban-rural differences in motor vehicle crash fatality and hospitalization rates among children and youth.

- Kmet L, Macarthur C. *Accid Anal Prev* 2005; ePub: ePub.

School Issues:

Wired for wellness: e-Interventions for addressing college drinking.

- Walters ST, Miller E, Chiauzzi E. *J Subst Abuse Treat* 2005; 29(2): 139-45.

Sensing and Response Issues:

Hearing loss as a risk factor for agricultural injuries.

- Choi SW, Peek-Asa C, Sprince NL, Rautiainen RH, Donham KJ, Flamme GA, Whitten PS, Zwerling C. *Am J Ind Med* 2005; ePub: ePub.

Loss of self-control in intertemporal choice may be attributable to logarithmic time-perception.

- Takahashi T. *Med Hypotheses* 2005; 65(4): 691-3.

Motor preparation, motor execution, attention, and executive functions in attention deficit/hyperactivity disorder (ADHD).

- Klimkeit EI, Mattingley JB, Sheppard DM, Lee P, Bradshaw JL. Child Neuropsychol 2005; 11(2): 153-73.

The effects of blurring vision on medio-lateral balance during stepping up or down to a new level in the elderly.

- Buckley JG, Heasley K, Scally A, Elliott DB. Gait Posture 2005; 22(2): 146-53.

The relationship between risk factors for falling and the quality of life in older adults.

- Ozcan A, Donat H, Gelecek N, Ozdirenc M, Karadibak D. BMC Public Health 2005; 5(1): 90.

Social Disparities:

Gender differences in suicide risk by socio-demographic factors in Hong Kong.

- Kwan YK, Ip WC, Kwan P. Death Stud 2005; 29(7): 645-63.

Immigrant Latinas' conceptualizations of intimate partner violence.

- Adames SB, Campbell R. Violence Against Women 2005; 11(10): 1341-64.

National road casualties and economic development.

- Bishai D, Quresh A, James P, Ghaffar A. Health Econ 2005; ePub: ePub.

Recurrent early childhood injuries among disadvantaged children in primary care settings.

- Braun PA, Beaty BL, DiGuseppi C, Steiner JF. Inj Prev 2005; 11(4): 251-5.

Rural versus urban victims of violence: The interplay of race and region.

- Grossman SF, Hinkley S, Kawalski A, Margrave C. J Fam Violence 2005; 20(2): 71-81.

Shared predictors of youthful gambling, substance use, and delinquency.

- Barnes GM, Welte JW, Hoffman JH, Dintcheff BA. Psychol Addict Behav Jun 2005; 19(2): 165-74.

Suicide and Self Harm:

A comparative study of young and adult deliberate self-harm patients.

- Hjelmeland H, Grøholt B. Crisis 2005; 26(2): 64-72.

Antidepressant adherence and suicide risk in depressed youth.

- Weiss JJ, Gorman JM. Am J Psychiatry 2005; 162(9): 1756-7.

Antidepressants and suicide: a commentary on a significant contribution to this debate.

- Goldney RD. Crisis 2005; 26(2): 97-8.

Antidepressants Reduce the Risk of Suicide among Elderly Depressed Patients.

- Barak Y, Olmer A, Aizenberg D. Neuropsychopharmacology 2005; ePub: ePub.

Are mental health insurance mandates effective? Evidence from suicides.

- Klick J, Markowitz S. Health Econ 2005; ePub: ePub.

Biochemical and clinical profile after organophosphorus poisoning--a placebo-controlled trial using pralidoxime.

- Cherian MA, Roshini C, Visalakshi J, Jeyaseelan L, Cherian AM. J Assoc Physicians India 2005; 53: 427-31.

Characteristics of Gambling Helpline Callers with Self-Reported Gambling and Alcohol Use Problems.

- Potenza MN, Steinberg MA, Wu R. J Gambli Stud 2005; 21(3): 233-254.

Deliberate self harm (and attempted suicide).

- Soomro GM. Clin Evid 2005; (13): 1200-11.

Discharge Disposition of Adolescents Admitted to Medical Hospitals After Attempting Suicide.

- Levine LJ, Schwarz DF, Argon J, Mandell DS, Feudtner C. Arch Pediatr Adolesc Med 2005; 159(9): 860-866.

Factors associated with suicidal risk among consulting young people in a preventive health center.

- Larosa E, Consoli SM, Hubert-Vadenay T, Leclésiau H. *Encephale* 2005; 31(3): 289-99.

Family history of suicidal behavior and mood disorders in probands with mood disorders.

- Mann JJ, Bortinger J, Oquendo MA, Currier D, Li S, Brent DA. *Am J Psychiatry* 2005; 162(9): 1672-9.

Gender differences in suicide risk by socio-demographic factors in Hong Kong.

- Kwan YK, Ip WC, Kwan P. *Death Stud* 2005; 29(7): 645-63.

Geographical variations in fatal poisoning due to antidepressant drugs in England and Wales 1993-2003.

- Morgan O, Griffiths C, Baker A, Majeed A. *Health Stat Q* 2005; (27): 6-12.

Increased impulsivity associated with severity of suicide attempt history in patients with bipolar disorder.

- Swann AC, Dougherty DM, Pazzaglia PJ, Pham M, Steinberg JL, Moeller FG. *Am J Psychiatry* 2005; 162(9): 1680-7.

Intentional self-poisoning with the chlorophenoxy herbicide 4-chloro-2-methylphenoxyacetic acid (MCPA).

- Roberts DM, Seneviratne R, Mohammed F, Patel R, Senarathna L, Hittarage A, Buckley NA, Dawson AH, Eddleston M. *Ann Emerg Med* 2005; 46(3): 275-84.

Maternal suicidality and risk of suicidality in offspring: findings from a community study.

- Lieb R, Bronisch T, Höfler M, Schreier A, Wittchen HU. *Am J Psychiatry* 2005; 162(9): 1665-71.

Mortality from suicide and drug-related poisoning by day of the week in England and Wales, 1993-2002.

- Johnson H, Brock A, Griffiths C, Rooney C. *Health Stat Q* 2005; (27): 13-6.

Preliminary findings of noncompliance with psychotropic medication and prevalence of methamphetamine intoxication associated with suicide completion.

- Callor WB, Petersen E, Gray D, Grey T, Lamoreaux T, Bennett PJ. *Crisis* 2005; 26(2): 78-84.

Preventing suicidal behaviour in a general hospital psychiatric service: priorities for programming.

- Links PS, Hoffman B. Can J Psychiatry 2005; 50(8): 490-6.

Reduced completed suicide rate in Hungary from 1990 to 2001: Relation to suicide methods.

- Berecz R, Cáceres M, Szlivka A, Dorado P, Bartók E, Peñas-Lledó E, Llerena A, Degrell I. J Affect Disord 2005; ePub: ePub.

Sati: a type of nonpsychiatric suicide.

- Bhugra D. Crisis 2005; 26(2): 73-7.

Socioeconomic change and suicide: a time-series study from the Republic of Ireland.

- Lucey S, Corcoran P, Keeley HS, Brophy J, Arensman E, Perry IJ. Crisis 2005; 26(2): 90-4.

Spirituality as a 1-year prospective predictor of violence perpetration and drug use among youth at continuation high schools.

- Sussman S, Skara S, de Calice P, Hoffman B, Dent CW. J Appl Soc Psychol 2005; 35(1): 80-99.

Studying suicide from the life course perspective: implications for prevention.

- Gunnell D, Lewis G. Br J Psychiatry 2005; 187: 206-8.

Suicidal crises in children and adolescents.

- Schnell M. Prax Kinderpsychol Kinderpsychiatr 2005; 54(6): 457-72.

Suicide Among Regular-Duty Military Personnel: A Retrospective Case-Control Study of Occupation-Specific Risk Factors for Workplace Suicide.

- Mahon MJ, Tobin JP, Cusack DA, Kelleher C, Malone KM. Am J Psychiatry 2005; 162(9): 1688-1696.

Suicide attempts and externalizing psychopathology in a nationally representative sample.

- Hills AL, Cox BJ, McWilliams LA, Sareen J. Compr Psychiatry 2005; 46(5): 334-9.

Suicide prevention discussed at the WHO European ministerial conference on mental health.

- Kerkhof AJ. Crisis 2005; 26(2): 51-2.

Suicide-homicide temporal interrelationship, links with other fatalities, and environmental physical activity.

- Stoupel E, Kalėdienė R, Petrauskiene J, Starkuviene S, Abramson E, Israelevich P, Sulkes J. Crisis 2005; 26(2): 85-9.

The knowledge of pedagogic students on suicidal behaviors in adolescents.

- Sacharewicz A, Maciorkowska E. Rocz Akad Med Bialymst 2005; 50(Suppl 1): 276-9.

Towards a national strategy to reduce suicide in India.

- Manorantjtham S, Abraham S, Jacob KS. Natl Med J India 2005; 18(3): 118-22.

Value of measuring suicide intent.

- Kumar CT. Br J Psychiatry 2005; 187: 289.

Transportation:

Association between the "seat belt sign" and intra-abdominal injury in children with blunt torso trauma.

- Sokolove PE, Kuppermann N, Holmes JF. Acad Emerg Med 2005; 12(9): 808-13.

Automobile driving among patients with dementia.

- Paccalin M, Bouche G, Barc-Pain S, Merlet-Chicoine I, Nedelec C, Gil R. Presse Med 2005; 34(13): 919-22.

Is television a health and safety hazard? A cross-sectional analysis of at-risk behavior on primetime television.

- Will KE, Porter BE, Geller ES, DePasquale JP. J Appl Soc Psychol 2005; 35(1): 198-222.

National road casualties and economic development.

- Bishai D, Quresh A, James P, Ghaffar A. Health Econ 2005; ePub: ePub.

Neurobehavioral performance of residents after heavy night call vs after alcohol ingestion.

- Arnedt JT, Owens J, Crouch M, Stahl J, Carskadon MA. JAMA 2005; 294(9): 1025-33.

United States pedestrian fatality rates by vehicle type.

- Paulozzi LJ. Inj Prev 2005; 11(4): 232-6.

Urban-rural differences in motor vehicle crash fatality and hospitalization rates among children and youth.

- Kmet L, Macarthur C. Accid Anal Prev 2005; ePub: ePub.

Violence and Weapons:

"Catastrophic" violence continues unchecked in Somalia.

- Moszynski P. BMJ 2005; 331(7515): 474.

A Resident's Experience in Cross Cultural/Community Psychiatry.

- Krishnan BS, Cutler DL. Community Ment Health J 2005; 41(5): 599-611.

A web in the patriarchal clan system: tactics of intimate partners in the Japanese sociocultural context.

- Yoshihama M. Violence Against Women 2005; 11(10): 1236-62.

Adolescents' perceptions of attachments to their mothers and fathers in families with histories of domestic violence: A longitudinal perspective.

- Sternberg KJ, Lamb ME, Guterman E, Abbott CB, Dawud-Noursi S. Child Abuse Neglect 2005; 29(8): 853-869.

Alcohol dependence, temper and personality.

- Lejoyeux M. Med Sci Dec 2004; 20(12): 1140-4.

Attachment and family violence: complexities in knowing.

- Bolen RM. Child Abuse Neglect 2005; 29(8): 845-852.

Breaking the cycles of violence.

- Dawes J, Murphy P, Farber L, Parkes CM, Farber S, O'Connor P, Kallenberg K, Weiss R, Meijburg H, Benoliel JQ, de Monnik HJ, Snyder B, . Death Stud 2005; 29(7): 585-600.

Commuters remain stoical in face of terrorist attacks.

- Wild J. Nature 2005; 437(7055): 13.

Domestic violence against women in Egypt: Wife beating and health outcomes.

- Diop-Sidibé N, Campbell JC, Becker S. Soc Sci Med 2005; ePub: ePub.

Domestic violence towards women.

- Klevens J, Sadowski L. Clin Evid 2005; (13): 2293-302.

Examination of live victims of violent crimes at the institutes of legal medicine of Hanover, Cologne and Leipzig.

- Gahr B, Grass H, Breitmeier D, Kleemann WJ. Arch Kriminol 2005; 216(1-2): 7-14.

Facilitating the emotional education of medical students: using literature and film in training about intimate partner violence.

- Lenahan P, Shapiro J. Fam Med 2005; 37(8): 543-5.

Fall or shaken: traumatic brain injury in children caused by falls or abuse at home - a review on biomechanics and diagnosis.

- Oehmichen M, Meissner C, Saternus KS. Neuropediatrics 2005; 36(4): 240-5.

Forensic assessment of survived strangulation.

- Plattner T, Bolliger S, Zollinger U. Forensic Sci Int 2005; 153(2-3): 202-7.

Gunshot wounds to the head: gang- and non-gang-related injuries and outcomes.

- Aryan HE, Jandial R, Bennett RL, Masri LS, Lavine SD, Levy ML. Brain Inj 2005; 19(7): 505-10.

Immigrant Latinas' conceptualizations of intimate partner violence.

- Adames SB, Campbell R. Violence Against Women 2005; 11(10): 1341-64.

Injuries inflicted by non-barrel self-defense guns.

- Sud Med Ekspert 2005; 48(4): 32-4.

Injuries to the head, face, mouth and neck in physically abused children in a community setting.

- Cairns AM, Mok JY, Welbury RR. Int J Paediatr Dent 2005; 15(5): 310-8.

Is television a health and safety hazard? A cross-sectional analysis of at-risk behavior on primetime television.

- Will KE, Porter BE, Geller ES, DePasquale JP. J Appl Soc Psychol 2005; 35(1): 198-222.

Juvenile firesetters.

- Sparber A. J Child Adolesc Psychiatr Nurs 2005; 18(3): 93-4.

Patterns in sexual assault violence as a function of victim perpetrator degree of relatedness.

- Stermac L, Del Bove G, Bainbridge D. J Aggression Maltreat Trauma 2005; 13(1): 43-60.

Predictors of child abuse potential among military parents: Comparing mothers and fathers.

- Schaeffer CM, Alexander PC, Bethke K, Kretz LS. J Fam Violence 2005; 20(2): 123-129.

Prevalence of household firearms and firearm-storage practices in the 50 states and the District of Columbia: findings from the Behavioral Risk Factor Surveillance System, 2002.

- Okoro CA, Nelson DE, Mercy JA, Balluz LS, Crosby AE, Mokdad AH. Pediatrics 2005; 116(3): e370-6.

Psychological and behavioural reactions to the bombings in London on 7 July 2005: cross sectional survey of a representative sample of Londoners.

- Rubin GJ, Brewin CR, Greenberg N, Simpson J, Wessely S. BMJ 2005; ePub: ePub.

Psychosocial implications of disaster or terrorism on children: a guide for the pediatrician.

- Hagan JF. Pediatrics 2005; 116(3): 787-95.

Risk factors for work-related assaults on nurses.

- Gerberich SG, Church TR, McGovern PM, Hansen H, Nachreiner NM, Geisser MS, Ryan AD, Mongin SJ, Watt GD, Jurek A. *Epidemiology* 2005; 16(5): 704-9.

Rural versus urban victims of violence: The interplay of race and region.

- Grossman SF, Hinkley S, Kawalski A, Margrave C. *J Fam Violence* 2005; 20(2): 71-81.

Shared predictors of youthful gambling, substance use, and delinquency.

- Barnes GM, Welte JW, Hoffman JH, Dintcheff BA. *Psychol Addict Behav* Jun 2005; 19(2): 165-74.

Spirituality as a 1-year prospective predictor of violence perpetration and drug use among youth at continuation high schools.

- Sussman S, Skara S, de Calice P, Hoffman B, Dent CW. *J Appl Soc Psychol* 2005; 35(1): 80-99.

Suicide-homicide temporal interrelationship, links with other fatalities, and environmental physical activity.

- Stoupel E, Kalėdienė R, Petrauskiene J, Starkuviene S, Abramson E, Israelevich P, Sulkes J. *Crisis* 2005; 26(2): 85-9.

The critical path of women affected by family violence in Latin America: case studies from 10 countries.

- Sagot M. *Violence Against Women* 2005; 11(10): 1292-318.

The emergency department approach to violently injured patient care: a regional survey.

- Wilkinson DL, Kurtz EM, Lane P, Fein JA. *Inj Prev* 2005; 11(4): 206-8.

The London Bombings: how EDs and nurses responded to the terrorist attacks of July 7.

- Parish C. *Am J Nurs* 2005; 105(9): 102-3.

The prevalence of partner violence in a group of HIV-infected men.

- Shelton AJ, Atkinson J, Risser JM, McCurdy SA, Useche B, Padgett PM. *AIDS Care* 2005; 17(7): 814-8.

Violence against women in New Zealand.

- Sims FH. *N Z Med J* 2005; 118(1221): U1648.

Violence and sex in television programs do not sell products in advertisements.

- Bushman BJ. Psychol Sci 2005; 16(9): 702-8.

Warding off the attacker: Self-defense in theory and in practice.

- Williams MJ, Hebl MR. J Appl Soc Psychol 2005; 35(2): 366-382.

Work-related violence policy: a process evaluation.

- Findorff MJ, McGovern PM, Sinclair S. AAOHN J 2005; 53(8): 360-9.

David Lawrence -- David.Lawrence@SDSU.edu
Director, Center for Injury Prevention Policy and Practice
Graduate School of Public Health
San Diego State University
6505 Alvarado Road, Suite 208
San Diego, CA 92120
Voice: 619-594-1994 Fax: 619-594-1995
<http://www.InjuryPreventionWeb.org>